IOWA DEPARTMENT OF PUBLIC SAFETY

STATE FIRE MARSHAL DIVISION CONTACT: KYLE GORSH // 515.725.6161 // gorsh@dps.state.ia.us



STATE FIRE MARSHAL GUIDANCE FOR **DETERMINING OCCUPANT CAPACITY**

On May 15, 2020, Governor Reynolds lifted restrictions for certain businesses and establishments in all 99 lowa counties. Businesses allowed to serve the public must reduce their capacity as outlined in the proclamation. The following guidance can be used to help esti-mate the permitted occupant capacity for certain businesses under the Governor's supplemental proclamation dated April 27, 2020. An official occupant load number should be obtained from a licensed architect. as there can be additional factors to consider to ensure the occupant capacity is accurate.



ESTIMATED OCCUPANCY CALCULATION*



Sample Retail Calculation:

 $2,000 \text{ SQ. FT.} \div 100 \text{ (occupant load)} = 20$ $20 \div 2 = 10 persons$



A non-restaurant business can estimate capacity by dividing the establishment's square footage by the occupant load factor (see table at right). In the above estimate calculation, a 2.000 square-foot retail store would normally have a capacity of 20 persons. Under the Governor's proclamation, the capacity must be reduced by 50%, which equals 10 persons.

For estimating purposes, any establishment with only one exit is limited to a capacity of 49 persons or less. Establishments with a capacity of over 49 people must have at least two exits. Exits can only be counted if they serve the general public area and are marked as exits.

As a result, any business greater than 5,000 square-feet with a single exit is limited to a capacity of 49 people. Under the Governor's proclamation, that capacity must be reduced by 50%, which equals 24 persons.

| * This information is intended to provide an |
|---|
| estimate of the permitted occupant capacity for |
| certain businesses. If you have questions or need |
| further guidance, please call your local code officials |
| or you can call the lowa Department of Public Safety- |
| State Fire Marshal Division at 515.725.6161. |

| BUSINESS OR ESTABLISHMENT | OCCUPANT LOAD FACTOR |
|------------------------------|---|
| RESTAURANTS | N/A— See Department of Inspections and Appeals— lowa Restaurant Reopening Criteria/Operation Restrictions During COVID—19 |
| FITNESS CENTERS | 50 |
| LIBRARIES | |
| Reading Rooms | 50 |
| Common Book Areas | 100 |
| | |
| RETAIL ESTABLISHMENTS | 100 |